

Technical Specifications

Ch	assis			
W	eight Information			
	Standard Weight - Front	0 kg	Standard Weight - Rear	0 kg
	Gross Axle Wt Rating - Front	2,540.16 kg	Gross Axle Wt Rating - Rear	6,670.64 kg
	Curb Weight - Front	1,759.97 kg	Curb Weight - Rear	1,350.82 kg
	Option Weight - Front	256.28 kg	Option Weight - Rear	57.61 kg
	Reserve Axle Capacity - Front	523.91 kg	Reserve Axle Capacity - Rear	5,262.21 kg
	As Spec'd Curb Weight	3,424.68 kg	As Spec'd Payload	5,420.52 kg
	Maximum Payload Capacity	5,734.41 kg	Gross Combined Wt Rating	19,504.8 kg
	Gross Axle Weight Rating	9,210.8 kg	Curb Weight	3,110.79 kg
	Reserve Axle Capacity	5,786.12 kg	Total Option Weight	313.89 kg
	Payload Weight Front	0 kg	Payload Weight Rear	0 kg
	Gross Vehicle Weight Rating	8,845.2 kg		
Tr	railering			
	Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
	Wt Distributing Hitch - Max Trailer Wt.	8,391.6 kg	Wt Distributing Hitch - Max Tongue Wt.	839.16 kg
	Fifth Wheel Hitch - Max Trailer Wt.	15,422.4 kg	Maximum Trailering Capacity	8,391.6 kg
	Fifth Wheel Hitch - Max Tongue Wt.	3,855.6 kg		
Fr	rame			
	Frame Type	N/A	Sect Modulus Rails Only	N/A
	Frame RBM	N/A Frame Strength		N/A
	Frame Thickness	N/A		
Sı	uspension			
	Suspension Type - Front	Other	Suspension Type - Rear	Leaf
	Spring Capacity - Front	2,540.16 kg	Spring Capacity - Rear	6,670.64 kg
	Axle Type - Front	Non-Independent	Axle Type - Rear	Rigid Axle
	Axle Capacity - Front	3,175.2 kg	Axle Capacity - Rear	6,670.64 kg
	Axle Ratio (:1) - Front	4.30	Axle Ratio (:1) - Rear	4.30
	Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A



pension			
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
res			
Front Tire Order Code	TGJ	Rear Tire Order Code	TGJ
Spare Tire Order Code	N/A	Front Tire Size	LT225/70SR1
Rear Tire Size	LT225/70SR19.5	Spare Tire Size	N/A
Front Tire Capacity	3,402 kg	Rear Tire Capacity	6,804 kg
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	647 Rev/Mile
Revolutions/Mile @ 45 mph - Rear	647 Rev/Mile	Revolutions/Mile @ 45 mph - Spare	N/A
heels			
Front Wheel Size	19.5 x 6 in	Rear Wheel Size	19.5 x 6 in
Spare Wheel Size	N/A	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	N/A
eering			
Steering Type	Re-Circulating Ball	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	12.95 m
Turning Diameter - Wall to Wall	N/A		
rakes			
Brake Type	4-Wheel Disc	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	391.16 mm
Rear Brake Rotor Diam x Thickness	401.32 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	151 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A



owertrain			
Transmission			
Drivetrain	Four Wheel Drive	Trans Order Code	44G
Trans Type	10	Trans Description Cont.	Automatic w/
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.62
Second Gear Ratio (:1)	2.92	Third Gear Ratio (:1)	2.13
Fourth Gear Ratio (:1)	1.77	Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.28	Reverse Ratio (:1)	4.70
Clutch Size	N/A	Trans Power Take Off	Yes
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Electronic
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	Yes	Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	N/A
Tenth Gear Ratio (:1)	N/A		
Mileage			
EnerGuide Estimate - City	N/A	EnerGuide Estimate - Hwy	N/A
Cruising Range - City	N/A	Cruising Range - Hwy	N/A
Estimated Battery Range	N/A		
Engine			
Engine Order Code	99T	Engine Type	Intercooled T Diesel V-8
Displacement	6.7 L/406	Fuel System	Diesel Direct Injection
SAE Net Horsepower @ RPM	330 @ 2200	SAE Net Torque @ RPM	950 @ 1800
Engine Oil Cooler	None		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	750	Cold Cranking Amps @ 0° F (2nd)	750
Maximum Alternator Capacity (amps)	250 & 160	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		



Dimensions			
Interior Dimensions			
Passenger Capacity	3	Front Head Room	1,036.32 mm
Front Leg Room	1,115.06 mm	Front Shoulder Room	1,694.18 mm
Front Hip Room	1,587.5 mm	Second Head Room	N/A
Second Leg Room	N/A	Second Shoulder Room	N/A
Second Hip Room	N/A		
Exterior Dimensions			
Wheelbase	3,683 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,859.78 mm	Width, Max w/o mirrors	2,032 mm
Height, Overall	2,098.04 mm	Overhang, Front	972.82 mm
Overhang, Rear w/o bumper	1,198.88 mm	Front Bumper to Back of Cab	N/A
Cab to Axle	1,524 mm	Cab to End of Frame	2,722.88 mm
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	868.68 mm	Ground Clearance, Front	215.9 mm
Ground Clearance, Rear	215.9 mm	Body Length	0 m
Cab to Body	N/A		
Cargo Area Dimensions			
Cargo Box Width @ Top, Rear	N/A	Cargo Box Width @ Floor	N/A
Cargo Box Width @ Wheelhousings	N/A	Cargo Box (Area) Height	N/A
Tailgate Width	N/A	Cargo Volume	N/A
Ext'd Cab Cargo Volume	N/A		



Standard Equipment

Mechanical	
	Engine: 7.3L 2V DEVCT NA PFI V8 Gas (STD)
	Transmission: TorqShift 10-Speed Automatic -inc: 10R140 w/neutral idle, SelectShift and selectable drive modes: normal, tow/haul, eco, slippery roads and off-road (STD)
	Limited Slip w/4.88 Axle Ratio (STD)
	Transmission w/Oil Cooler
	Electronic Transfer Case
	Part-Time Four-Wheel Drive
	68-Amp/Hr 750CCA Maintenance-Free Battery w/Run Down Protection
	190 Amp Alternator
	Towing Equipment -inc: Trailer Sway Control
	Trailer Wiring Harness
	5021.3 Kgs Maximum Payload
	GVWR: 8,165 kgs (18,000 lbs) Payload Package
	HD Shock Absorbers
	Front And Rear Anti-Roll Bars
	Firm Suspension
	Hydraulic Power-Assist Steering
	151 L Fuel Tank
	Single Stainless Steel Exhaust
	Dual Rear Wheels
	Auto Locking Hubs
	Front Suspension w/Coil Springs
	Solid Axle Rear Suspension w/Leaf Springs
	4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control
	Upfitter Switches
Exterior	
	Wheels: 19.5" Argent Painted Steel
	Tires: 225/70Rx19.5G BSW A/P -inc: Spare may not be the same as the road tire (STD)
	Clearcoat Paint
	Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
	Black Fender Flares



Exterior	
	Black Side Windows Trim and Black Front Windshield Trim
	Black Door Handles
	Black Power Heated Side Mirrors w/Convex Spotter, Manual Folding and Turn Signal Indicator
	Manual Extendable Trailer Style Mirrors
	Fixed Rear Window
	Light Tinted Glass
	Variable Intermittent Wipers
	Aluminum Panels
	Front Splash Guards
	Black Grille
	Front License Plate Bracket
	Autolamp Auto On/Off Reflector Halogen Headlamps w/Delay-Off
	Cab Clearance Lights
	Perimeter/Approach Lights
Entertainment	
	Radio w/Seek-Scan, Clock and Speed Compensated Volume Control
	Radio: AM/FM Stereo w/MP3 Player -inc: 4 speakers
	Fixed Antenna
	SYNC 4 Communication & Entertainment System -inc: 8" LCD capacitive touchscreen w/swipe capability, information on demand panel, wireless phone connection, cloud connected, AppLink w/app catalog, 911 Assist, Apple CarPlay and Android Auto compatibility and digital owner's manual
	2 LCD Monitors In The Front
Interior	
	4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
	4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
	Manual Tilt/Telescoping Steering Column
	Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
	FordPass Connect 5G Mobile Hotspot Internet Access
	Compass
	Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
	Cruise Control w/Steering Wheel Controls
	Manual Air Conditioning

30-Mar-2025



Interior	
	Illuminated Locking Glove Box
	Interior Trim -inc: Chrome Interior Accents
	Full Cloth Headliner
	Urethane Gear Shifter Material
	HD Vinyl 40/20/40 Bench Seat w/Recline -inc: integrated armrest w/2 cupholders, storage and driver manual lumbar
	Day-Night Rearview Mirror
	Passenger Visor Vanity Mirror
	2 12V DC Power Outlets
	Front Map Lights
	Fade-To-Off Interior Lighting
	Full Vinyl/Rubber Floor Covering
	Smart Device Remote Engine Start
	Instrument Panel Covered Bin and Dashboard Storage
	Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
	Delayed Accessory Power
	Power Door Locks w/Autolock Feature
	Driver Information Centre
	Trip Computer
	Outside Temp Gauge
	Digital/Analog Appearance
	Seats w/Vinyl Back Material
	Manual Adjustable Front Head Restraints
	Perimeter Alarm
	Securilock Anti-Theft Ignition (pats) Immobilizer
	Air Filtration
Safety-Mechanical	
	Driveline Traction Control
Safety-Exterior	
	Side Impact Beams
Safety-Interior	
	Dual Stage Driver And Passenger Seat-Mounted Side Airbags



Safety-Interior	
	Pre-Collision Assist with Automatic Emergency Braking (AEB)
	Lane Departure Warning
	Collision Mitigation-Front
	Dual Stage Driver And Passenger Front Airbags w/Passenger Off Switch
	Safety Canopy System Curtain 1st Row Airbags
	Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters



Window Sticker

SUMMARY

[Fleet] 2025 Ford Super Duty F-550 DRW (F5H) XL 4WD Reg Cab 145" WB 60" CA

Interior: Medium Dark Slate, HD Vinyl 40/20/40 Bench Seat w/Recline

Exterior 1:Oxford White

Exterior 2:No colour has been selected.

Engine: 6.7L 4V OHV Power Stroke V8 Turbo Diesel B20

Transmission: TorqShift 10-Speed Automatic

OPTIONS

CODE	MODEL	N	ISRP
F5H	[Fleet] 2025 Ford Super Duty F-550 DRW (F5H) XL 4WD Reg Cab 145" WB 60" CA		
	OPTIONS		
41H	Engine Block Heater	Inc.	
44G	Transmission: TorqShift 10-Speed Automatic		\$0.00
535	High Capacity Trailer Tow Package	\$50	00.00
660A	Order Code 660A		\$0.00
67B	410 Amp Dual Alternators		\$0.00
68M	GVWR: 8,845 kgs (19,500 lbs) Payload Plus Upgrade Pkg 1	\$1,10	00.00
86M	Dual 68 AH/65 AGM 750 CCA Batteries	Inc.	
99T	Engine: 6.7L 4V OHV Power Stroke V8 Turbo Diesel B20	\$10,97	75.00
AS	Medium Dark Slate, HD Vinyl 40/20/40 Bench Seat w/Recline		\$0.00
TGJ	Tires: 225/70Rx19.5G BSW A/P		\$0.00
X4L	Limited Slip w/4.30 Axle Ratio		\$0.00
Z1	Oxford White	Ş	\$0.00

FUEL ECONOMY

Page 9 30-Mar-2025



Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A

Page 10 30-Mar-2025